| - | |
|---|----------|
| _ | J. |
| Ξ | Ω |
| ≡ | Ü |
| Ξ | 0 |
| ≡ | ũ |
| ≣ | |
| 譶 | = |
| Ξ | • |
| ≣ | Ø |
| ٥ | • |
| ₹ | |
| | |

Please type a plus sign (+) inside this box -> +

PTO/SB/05 (4/98)
Approved for use through 09/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No. Y0999-294 (8728-304)

First Inventor or Application Identifier Dono et al.

Title Method for Providing Temporary...

(Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))

Express Mail Label No. EL192803794US

| APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents. | | | Assistant Commissioner for Patents ADDRESS TO: Box Patent Application Washington DC 2023 | |
|---|--|--------------------|--|--|
| 1. X (S) | Tee Transmittal Form (e.g., PTO/SB/17) Submit an original and a duplicate for fee processing secification Selected arrangement set forth below) Descriptive title of the Invention Cross References to Related Applications Statement Regarding Fed sponsored R & D Reference to Microfiche Appendix Background of the Invention Strief Summary of the Invention Strief Description of the Drawings (If filed) | 5. [2] 1 6. [| Microfiche Computer Program (Appendix) Nucleotide and/or Amino Acid Sequence Submission (If applicable, all necessary) a. Computer Readable Copy b. Paper Copy (identical to computer copy) c. Statement verifying identity of above copy ACCOMPANYING APPLICATION PARTS X Assignment Papers (cover sheet & document(s)) | |
| - Detailed Description - Claim(s) - Abstract of the Disclosure 3. \[\times \] Drawing(s) (35 U.S.C. 113) \[\text{Total Sheets} \] 6 \] 4. Oath or Declaration a. \[\times \] Newly executed (original or copy) b. \[\times \] Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed) i. \[\times \] DELETION OF INVENTORIS) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. § 1.83(d)(2) and 1.33(b). Note For Items 1 & 13: IN ORIGIN TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED OF C.F.R. § 1.27, EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON IST C.F.R. § 1.28. | | | | |
| 16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment: Continuation Divisional Continuation-in-part (CIP) of prior application No: Prior application information: Examiner Group / Art Unit: For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts. 17. CORRESPONDENCE ADDRESS Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) | | | | |
| Name Address | Frank Chau F. Chau & Associates, LLP 1900 Hempstead Turnpike, | | | |
| City | East Meadow | | York Zip Code 11554 | |
| Country | 7202 | | -357-0091 | |
| Name | (PrintType) Gaspare J. Randazzo | 1 3 2 3 | 1 44 500 | |
| Signatu | <i>M</i> | | Registration No. (Attorney/Agent) 41,528 Date 9/1/99 | |

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office. Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

10

15

20

METHOD FOR PROVIDING TEMPORARY ACCESS TO A COMMONLY ACCESSIBLE COMPUTER PROCESSING SYSTEM

BACKGROUND

1. Technical Field

The present invention relates generally to computer processing systems and, in particular, to a method for providing temporary access to a commonly accessible computer processing system. The method allows a mobile (e.g., traveling) individual to temporarily use а accessible computer other than his or her own desktop or laptop computer and, optionally, application programs on the Moreover, the method allows for the automatic computer. customization of the computer in accordance with the preferences of the computer user. The computer is commonly accessible in that multiple users may be provided temporary the computers and the application programs access thereon.

2. Background Description

Mobile computing using laptops is a constant compromise between usability, weight, performance, and power consumption. For example, laptop computers generally

10

15

20

include less memory than desktop computers. Most laptop computers are predominantly used as desktop replacements, both in offices and while traveling. Current application programs (also referred to herein as "applications") require significant amounts of storage, often several tens of megabytes. Accordingly, depending on the memory size of the storage device contained in the laptop, all the applications may not fit on the storage device. As such, the user may be forced to exclude some or all of the applications from the laptop. This results in the user being unable to use these excluded applications until he or she returns to the "base", desktop system. Accordingly, there is a need for technique that allows a mobile user to obtain access to his or her applications while away from a base system.

Application hosting has been used previously in client-server environments to avoid storing critical or common applications on client computers. Traditionally, server-side installation of applications has been performed to reduce: the cost of application maintenance by keeping a centralized copy of the application files; (2) the amount of client-side storage by installing the bulk of the application files on the server; and (3) the cost of license fees for the application by purchasing a limited number of

15

20

5

licenses that can be assigned dynamically to different is clear that application hosting Ιt predominantly employed to lower expenses for deploying applications throughout an organization. The benefits of application hosting disappear as soon as the user cannot access the server, such as, for example, when the user is traveling. In such situations, the user is prevented from using the application unless there is an alternate way of gaining access to his or her applications. Accordingly, there is a need for a technique that allows a mobile user to obtain temporary access to his or her applications while away from a base station.

Travelling users may be able to obtain access to computers. However, these computers are unlikely to be configured similar to the user's own system. For example, the desktop settings (icons, colors, screen resolution, etc.) will likely be different. This will require the user to be familiar with the new system before he or she is able to work productively. Accordingly, there is a need for a technique that enables the personalization of a computer in accordance with the preferences of a transitory computer user.

10

U.S. Patent No. 5,600,781, entitled "Method and Apparatus for Creating Portable Personalized Operating Environment", issued on Feb. 4, 1997, and incorporated herein by reference, discloses the use of Smartcards to personalize application and operating environments. This patent documents the feasibility of quick system personalization based on information carried in a small storage device.

It is evident that it would be highly advantageous to have a method for allowing a mobile computer user to gain temporary access to application programs and to quickly change customizable system features in accordance with the preferences of the user.

SUMMARY OF THE INVENTION

15

20

The present invention is directed to a method for providing temporary access to a commonly accessible computer processing system. The present invention allows a mobile computer user to use a computer other than the mobile user's desktop or laptop computers, and to optionally use application programs on the computer. Moreover, the present invention allows the mobile computer user to quickly change

10

15

20

customizable system features of the computer in accordance with the preferences of the user.

According to an aspect of the invention, there is furnished a method for providing an individual temporary access to a commonly accessible computer processing system The CA computer has a plurality (CA computer). application programs associated therewith. The method includes the step of detecting the coupling of a portable storage device to the CA computer. The storage device has stored therein an access code for indicating whether the user is authorized to temporarily access the CA computer and preferences of the including computing information It is determined whether the individual is individual. authorized to temporarily access the CA computer, based on The CA computer is modified in accordance the access code. with the information stored in the storage device and temporary access is provided to the CA computer, when the is authorized to temporarily access the CA individual The activity of at least one of the individual and the CA computer is monitored, until the storage device is de-coupled from the CA computer. A bill is generated based on the monitoring. The bill is automatically provided to a predetermined billing mechanism.

10

15

is furnished a method for providing an individual temporary access to a commonly accessible computer processing system The CA computer has a plurality of (CA computer). application programs associated therewith. The includes the step of generating a user account by coupling to the CA computer a portable storage device available to individual, and writing an access code to storage The access code indicates that the user device. authorized to temporarily access the CA computer. The storage device has previously stored therein information including computing preferences of the individual. individual is authorized whether the determined temporarily access the CA computer, based on the access The CA computer is modified in accordance with the code. information stored in the storage device, temporary access is provided to the CA computer, and the activity of at least one of the individual and the CA computer is monitored, when the individual is authorized to temporarily access the CA The monitoring is terminated and a bill computer.

According to another aspect of the invention, there

20

automatically generated based on the monitoring, when the

The bill

storage device is de-coupled from the CA computer.

15

20

5

is automatically provided to a predetermined billing mechanism.

These and other aspects, features and advantages of the present invention will become apparent from the following detailed description of preferred embodiments, which is to be read in connection with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWING

FIG. 1 is a block diagram of a computer processing system to which the present invention may be applied according to an embodiment of the present invention;

FIG. 2 is a flow diagram illustrating the phases of a method for providing temporary access to a commonly accessible computer processing system (CA computer) according to an embodiment of the present invention;

FIG. 3 is a flow diagram illustrating the steps performed during an authorization phase of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present invention;

FIG. 4 is a flow diagram illustrating the steps performed during a sign-on phase of the method for providing

10

15

20

temporary access to a commonly accessible computer processing system according to an embodiment of the present invention;

FIG. 5 is a flow diagram illustrating the steps performed during a use phase of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present invention;

FIG. 6 is a flow diagram illustrating the steps performed during a sign-off phase of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present invention; and

FIG. 7 is a flow diagram illustrating the steps performed during a billing phase of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present invention.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

The present invention is directed to a method for providing temporary access to a commonly accessible computer processing system (hereinafter "CA computer"). The CA

10

15

20

computer is commonly accessible in that multiple users may be provided temporary access to the CA computer and the application programs thereon. According to the method, the user of the CA computer has a portable storage device available (e.g., on his or her person) for interfacing with the CA computer.

The present invention allows an individual to use a computer (i.e., the CA computer) other than the user's and to optionally laptop computers, desktop or Moreover, the present application programs on the computer. quickly change individual to the invention allows computer CA of the customizable system features accordance with his or her preferences. Such authorizations and customizations are automatically achieved through the use of the portable storage device.

To facilitate a clear understanding of the present invention, definitions of terms employed herein will now be given. System software refers to control software that provides the basic services to a user like reading/writing files, displaying data on the screen, and interfacing with different hardware components of the underlying hardware. Operating systems such as, for example, WINDOWS98 or UNIX, and middleware components, such as, for example,

10

15

20

web-browsers or object-brokers, are examples of system software. System software typically is specific to the underlying hardware.

Applications (or programs or application programs) refer to software programs that rely on the services provided by the system software to perform a task for the user. Typical application programs include word processors, spreadsheets, calendars, computer aided design (CAD) programs, and so forth. Application programs are normally specific to a particular system software.

User data refers to data created by the user through the use of application programs. Typically, such data is stored in a format specific to the application that was used to create the data. Changes to the user data therefore require the availability of the creating application.

refer to the Personalization settings settings provided in both system software and applications that allow the user to make changes to adapt the software to his or her needs or preferences. For example, an operating system like WINDOWS98 allows for the selection and placement of icons corresponding to frequently used applications and surface. example οf Another the desktop onto personalization with respect to application programs is a

5

software switch that allows the automatic spell checker in a word processor to be turned on or off. Further examples include: the desktop settings, such as, for example, color scheme, font size, desktop pattern and screen saver; the setting of application options, such as, for example, preferred directories or default font size; user-specific tables like address books or bookmarks; and so forth.

Portable storage device refers to a physical device that provides permanent storage and that can be removed easily from the CA computer. Examples of such devices are diskettes, flash memory cards for use in a PCMCIA slot, removable hard-drives like the IBM MICRODRIVE or the IOMEGA JAZZ cartridges, and so forth. However, the present invention is not limited to the above recited examples and, thus, other types of portable storage devices may be used, including those which communicate by infrared and/or radio frequency.

Primary computer processing system (or primary computer) refers to the user's own computer. For the user, access to this computer is unrestricted and he or she has privileges to add, remove or change applications and data at will.

Commonly accessible computer processing system ("CA computer") refers to a computer used temporarily to access data while away from the primary computer. The user typically does not have unrestricted access to this computer and does not have full privileges for access to all resources of this computer.

It is to be understood that the present invention may implemented in various forms of hardware, software, firmware, special purpose processors, or a combination Preferably, the present invention is implemented in software as a program tangibly embodied on a program The program may be uploaded to, storage device. executed by, a machine comprising any suitable architecture. Preferably, the machine is implemented on a computer platform having hardware such as one or more central processing units (CPU), a random access memory (RAM), and input/output (I/O) interface(s). The computer platform also includes an operating system and microinstruction code. various processes and functions described herein may either be part of the microinstruction code or part of the program (or a combination thereof) which is executed via the In addition, various other peripheral operating system.

20

15

15

20

5

devices may be connected to the computer platform such as an additional data storage device and a printing device.

It is to be further understood that, because some of the constituent system components and method steps depicted in the accompanying figures are preferably implemented in software, the actual connections between the system components (or the process steps) may differ depending upon the manner in which the present invention is programmed.

FIG. 1 is a block diagram of a computer processing system (CA computer) 100 to which the present invention may be applied according to an embodiment of the present invention. The CA computer 100 includes at least one processor (CPU) 102 operatively coupled to other components via a system bus 104. A read only memory (ROM) 106, a random access memory (RAM) 108, a display adapter 110, an I/O adapter 112, a user interface adapter 114, and a communications adapter 128 are operatively coupled to system bus 104.

A display device 116 is operatively coupled to system bus 104 by display adapter 110. A disk storage device (e.g., a magnetic or optical disk storage device) 118 is operatively couple to system bus 104 by I/O adapter 112.

10

15

20

A mouse 120 and keyboard 124 are operatively coupled to system bus 104 by user interface adapter 114. The mouse and keyboard may be used to input and output information to and from the CA computer 100. An interface device 140 is also operatively coupled to system bus 104 by user interface adapter 114. The interface device 140 allows the CA computer to interface with a portable storage device 142, described more fully hereinbelow. In a preferred embodiment of the present invention, the portable storage device 142 is a PCMCIA card and the interface device 140 is a PCMCIA reader.

The CA computer 100 may communicate with another computer(s) through communications adapter 128. The other computer(s) may be part of an intranet or the Internet.

A general description of the present invention will now be provided to introduce the reader to the concepts of the invention. Subsequently, more detailed descriptions of various aspects of the invention will be provided.

The present invention is directed to a method for providing temporary access to a commonly accessible computer, the CA computer user having a storage device on his or her person for interfacing with the CA computer. The method may be used by entities such as, for example, hotels

10

15

20

or internet cafes. The CA computer users may be, for example, individuals traveling on business or those desiring to "chat" in an internet chat room. The storage device may be, for example, a SMARTCARD, COMPACTFLASH, small disk drive, and so forth. The storage device includes pertinent information about the user.

The user can access the commonly accessible computer by inserting his or her portable storage device into a matching interface. The business reads the user information stored in the portable storage device and authorizes the user to access the CA computer. This will change the personalization settings on the CA computer to match the information on the user's storage device.

The CA computer may run application programs stored on the portable storage device. Additionally or alternatively, the entities may provide authorization to use one or more applications available on the CA computer.

Fees are automatically incurred as the user runs applications provided on the CA computer. Upon completion, the user removes his storage device from the CA computer. This will automatically remove the user information and data from that CA computer and initiate a billing process that charges the user's account for the services.

15

20

5

FIG. 2 is a flow diagram illustrating the phases of a method for providing temporary access to a commonly accessible computer processing system (CA computer) according to an embodiment of the present invention. The method is divided into the following phases: authorization 300; sign-on 400; use 500; sign-off 600; and billing 700.

During the authorization phase 300, the user is granted access to the CA computer 100 and provided with a user account on the CA computer 100. Access is granted by storing an encrypted access code on the user's portable storage device 142. The user account is used to record the user activity during the Use phase. These records form the basis of the billing phase.

performed during the authorization phase 300 of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present invention. The portable storage device 142 is coupled to an interface device 140 that can access and modify the contents of the portable storage device 142 (step 302). Then, a user-specific access code is written to the portable storage devices, including entry to a set of rooms, billing

10

15

20

of meals, access to the common computer, and so forth (step 304). Depending on the agreement between the service provider and the user, the access code may only grant access to certain services. Optionally, prepaid usage credits are stored on the portable storage device 142 (step 306). In an alternative embodiment, these usage credits may be stored on a central server (not shown) instead of the portable storage device 142. After completion of the authorization step, the portable storage device 142 is de-coupled from the interface device 140 (step 308).

is a flow diagram illustrating the steps performed during the sign-on phase 400 of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present The sign-on phase 400 is initiated when the user invention. couples the portable storage device 142 to the CA computer 100 (step 402). This connection is detected automatically. The authorization is then checked/verified user inspecting the authorization code that was stored on the portable storage device 142 in step 304 (step 404). the user's personalization information is read from the portable storage device 142 (step 406) and the customizable system and application settings are changed in accordance

15

20

5

with the user's preferences (step 408). At the end of the sign-on phase 400, an automatic monitoring system is started on the CA computer 100 that tracks user activity (step 410).

5 is a flow diagram illustrating the steps performed during the use phase 500 of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present During the use phase 500, the user works with invention. the CA computer 100 as if it were his primary computer. user's use of the CA computer 100 is monitored (e.g., by monitoring the user's and/or the computer's activity) (step 502), and an activity log is generated based on such The user can use applications (step 504). monitoring present on the CA computer 100 and/or applications that are resident on the portable storage device 142. If billing occurs by user activity, several existing methods, as well as other methods, may be used to monitor the user's actions. For instance, some operating systems (like Windows NT) have built-in auditing capabilities that can generate reports on how often and how intensely a computer was used over a Alternatively, a privileged certain period of time. application may be installed on the CA computer 100 to periodically sample and record the active processes together

10

15

20

with their consumption of CPU time. This information may be used to determine the amount the user is to be billed.

performed during the sign-off phase 600 of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present invention. Once the user has completed his work on the CA computer 100, he or she disconnects the portable storage device 142 (step 602). This initiates the sign-off phase 600. During sign-off, the system saves and/or forwards the user activity log for processing (step 604). At the end of the sign-off phase 600, all personalization information introduced during the sign-on phase 300 is removed and the system returns to its default configuration (step 606).

performed during the billing phase 700 of the method for providing temporary access to a commonly accessible computer processing system according to an embodiment of the present invention. In the billing phase 700, the log is converted to a bill for the services incurred according to cost schedule (step 702). Different such schedules are conceivable, such as, for example, billing for total time signed-on to the CA computer 100 or billing for time spent

10

15

20

running applications stored on the CA computer 100. The final amount will be automatically posted to the user's account or deducted from his credit card (step 704). It is to be appreciated that other predetermined billing mechanisms may also be used other than the user's account or credit card. Since the billing phase 700 can be performed based solely on information created on the CA computer 100, there is no need to interact again with a customer representative or a service center.

The above described method applies equally to installations where the user interacts directly with the CA computer 100, e.g. a PC, or via a remote interface like the X-Windows protocol or Citrix Windows Terminal. In any case, the user-interface is similar to the one on the primary computer.

Although the illustrative embodiments have been described herein with reference to the accompanying drawings, it is to be understood that the present system and method is not limited to those precise embodiments, and that various other changes and modifications may be affected therein by one skilled in the art without departing from the scope or spirit of the invention. All such changes and

modifications are intended to be included within the scope of the invention as defined by the appended claims.

15

20

5

WHAT IS CLAIMED IS:

1. A method for providing an individual temporary access to a commonly accessible computer processing system (CA computer), the CA computer having a plurality of application programs associated therewith, the method comprising the steps of:

detecting the coupling of a portable storage device to the CA computer, the storage device having stored therein an access code for indicating whether the user is authorized to temporarily access the CA computer and information comprising computing preferences of the individual;

determining whether the individual is authorized to temporarily access the CA computer, based on the access code:

modifying the CA computer in accordance with the information stored in the storage device and providing temporary access to the CA computer, when the individual is authorized to temporarily access the CA computer;

monitoring the activity of at least one of the individual and the CA computer, until the storage device is de-coupled from the CA computer;

generating a bill based on said monitoring; and

5

automatically providing the bill to a predetermined billing mechanism.

2. The method according to claim 1, wherein said step of generating the bill comprises the steps of:

generating an activity log based on said monitoring; and

converting the activity log into the bill.

- 3. The method according to claim 1, further comprising the step of inhibiting temporary access to the CA computer, when the individual is not authorized to access the CA computer.
- 4. The method according to claim 1, wherein the portable storage device comprises a PCMCIA card.
- 5. The method according to claim 1, wherein the PCMCIA card comprises a flash memory card.
 - 6. The method according to claim 1, wherein the predetermined billing mechanism is associated with one of a user account and a credit card.

YO999-294 (8728-304)

- 23 -

15

20

5

- 7. The method according to claim 1, wherein the access code stored in the storage device further indicates whether the user is authorized to temporarily use any of the plurality of application programs associated with the CA computer, and which of the plurality of application programs such authorization is provided thereto.
- 8. The method according to claim 7, wherein said method further comprises the steps of:

determining whether the individual is authorized to temporarily use any of the plurality of application programs associated with the CA computer, based on the access code; and

application access to the providing temporary computer for which associated with the CA programs the individual when indicated, authorization is authorized to temporarily use any of the plurality of application programs associated with the CA computer.

9. The method according to claim 1, wherein the portable storage device further stores therein application programs associated with the user, and said step of providing temporary access to the CA computer further

15

20

5

comprises the step providing temporary access to the application programs stored in the portable storage device for execution by the CA computer.

10. The method according to claim 1, further comprising the step of providing the individual with a user account by writing the access code to the portable storage device, before said step of determining whether the individual is authorized to temporarily access the CA computer.

11. A method for providing an individual temporary access to a commonly accessible computer processing system (CA computer), the CA computer having a plurality of application programs associated therewith, the method comprising the steps of:

generating a user account by coupling to the CA computer a portable storage device available to the individual, and writing an access code to storage device, the access code indicating that the user is authorized to temporarily access the CA computer, the storage device having previously stored therein information comprising computing preferences of the individual;

10

20

determining whether the individual is authorized to temporarily access the CA computer, based on the access code:

modifying the CA computer in accordance with the information stored in the storage device, providing temporary access to the CA computer, and monitoring the activity of at least one of the individual and the CA computer, when the individual is authorized to temporarily access the CA computer;

terminating said monitoring and automatically generating a bill based on said monitoring, when the storage device is de-coupled from the CA computer; and

automatically providing the bill to a predetermined billing mechanism.

12. The method according to claim 11, further comprising the step of inhibiting temporary access to the CA computer, when the individual is not authorized to access the CA computer.

13. The method according to claim 11, wherein the access code stored in the storage device further indicates whether the user is authorized to temporarily use any of the

15

20

5

plurality of application programs associated with the CA computer, and which of the plurality of application programs such authorization is provided thereto.

The method according to claim 13, wherein said method further comprises the steps of:

determining whether the individual is authorized to temporarily use any of the plurality of application programs associated with the CA computer, based on the access code; and

application the access to temporary providing computer for which CA associated with the the individual is indicated, when authorization is authorized to temporarily use any of the plurality of application programs associated with the CA computer.

The method according to claim 11, wherein the 15. portable storage device further stores therein application and said step of associated with the user, providing temporary access to the CA computer further comprises the step providing temporary access application programs stored in the portable storage device for execution by the CA computer.

10

15

20

16. A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for providing an individual temporary access to a commonly accessible computer processing system (CA computer), the CA computer having a plurality of application programs associated therewith, said method steps comprising:

detecting the coupling of a portable storage device to the CA computer, the storage device having stored therein an access code for indicating whether the user is authorized to temporarily access the CA computer and information comprising computing preferences of the individual;

determining whether the individual is authorized to temporarily access the CA computer, based on the access code;

modifying the CA computer in accordance with the information stored in the storage device and providing temporary access to the CA computer, when the individual is authorized to temporarily access the CA computer;

monitoring the activity of at least one of the individual and the CA computer, until the storage device is de-coupled from the CA computer;

generating a bill based on said monitoring; and

15

5

automatically providing the bill to a predetermined billing mechanism.

17. The program storage device according to claim 16, wherein said step of generating the bill comprises the steps of:

generating an activity log based on said monitoring; and

converting the activity log into the bill.

- 18. The program storage device according to claim
 16, further comprising the step of inhibiting temporary
 access to the CA computer, when the individual is not
 authorized to access the CA computer.
- 19. The program storage device according to claim 16, wherein the predetermined billing mechanism is associated with one of a user account and a credit card.
- 20. The program storage device according to claim 16, wherein the access code stored in the storage device further indicates whether the user is authorized to temporarily use any of the plurality of application programs

15

20

5

associated with the CA computer, and which of the plurality of application programs such authorization is provided thereto.

21. The program storage device according to claim 20, wherein said method further comprises the steps of:

determining whether the individual is authorized to temporarily use any of the plurality of application programs associated with the CA computer, based on the access code; and

the application providing temporary access to associated with the CA computer for indicated, the individual authorization is when is authorized to temporarily use any of the plurality of application programs associated with the CA computer.

22. The program storage device according to claim 16, wherein the portable storage device further stores therein application programs associated with the user, and said step of providing temporary access to the CA computer further comprises the step providing temporary access to the application programs stored in the portable storage device for execution by the CA computer.

15

5

METHOD FOR PROVIDING TEMPORARY ACCESS TO A COMMONLY ACCESSIBLE COMPUTER PROCESSING SYSTEM

ABSTRACT OF THE INVENTION

furnished a method for providing is There individual temporary access to a commonly accessible computer processing system (CA computer). The CA computer application programs plurality of associated has The method includes the step of detecting the therewith. coupling of a portable storage device to the CA computer. The storage device has stored therein an access code for indicating whether the user is authorized to temporarily access the CA computer and information including computing preferences of the individual. It is determined whether the individual is authorized to temporarily access the computer, based on the access code. The CA computer is modified in accordance with the information stored in the storage device and temporary access is provided to the CA computer, when the individual is authorized to temporarily access the CA computer. The activity of at least one of the individual and the CA computer is monitored, until the storage device is de-coupled from the CA computer. A bill

20

is generated based on the monitoring. The bill is automatically provided to a predetermined billing mechanism.

2/6 40999-294 (8728-304)






FIG. 2

3/6-Y0999-294 (8728-304)




F16.3


4/6⁻ Y0999-294 (8728-304)



F16.4




F16.5



F16. 6

676 40999-294 (8728-304)



F16. 7

AS A BELOW NAMED INVENTOR, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe that I am the original, first and sole (if only one name is listed below), or an original, first and joint inventor (if plural names are listed below), of the subject matter which is claimed and for which a patent is sought on the invention entitled:

TITLE:

METHOD FOR PROVIDING TEMPORARY ACCESS TO A COMMONLY ACCESSIBLE COMPUTER PROCESSING SYSTEM

| Title 37, The Code of Federal Reg and the national or PCT internation (Application Serial Number) | (Filing Date) | | pending, abandoned) |
|--|---|--|---|
| Title 37, The Code of Federal Reg | nal filing date of this application: | , u, | or the prior application |
| International application designating this application is not disclosed in the | g the United States, listed below the prior United States or PCT Inte §112, I acknowledge the duty to | rnational application(s) in the mann disclose information material to pat | f each of the claims of er provided by the first entability as defined in |
| (Application Number) I hereby claim the benefit up | (Country) | (Day/Month/Year filed) | |
| into | | | Yes[] No[] |
| (Application Number) | (Country) | (Day/Month/Year filed) | |
| applications for patent or inventor's | s certificate having a filing date t | efore that of the application on whi | ch priority is claimed: Priority Claimed: Yes [] No [] |
| or inventor's certificate, or §365(a) United States, or §119(e) of any Uni | of any PCT international applic | ation which designated at least one | country other than the |
| patentability and to the examination I hereby claim foreign priority benef | of this application in accordance fits under Title 35, U.S. Code §1. | e with Title 37 of the Code of Fede 9(a)-(d) or §365(b) of any foreign a | ral Regulations §1.56. pplication(s) for patent |
| I hereby state that I have reclaims, as amended by any amendm | eviewed and understand the cornent referred to above. I acknow | tents of the above-identified speci- ledge the duty to disclose information | fication, including the on which is material to |
| and (if applicable) was amended | d on | | , |
| | rademark Office on | and assigned Serial No, | |
| ☐ was filed in the U.S. Patent & T | | | |

I hereby appoint the following attorneys: MANNY W. SCHECTER, Reg. No. 31,722; TERRY J. ILARDI, Reg. 29,936; CHRISTOPHER A. HUGHES, Reg. No. 26,914; EDWARD A. PENNINGTON, Reg. No. 32,588; JOHN E. HOEL, Reg. No. 26,279; JOSEPH C. REDMOND, Jr., Reg. No. 18,753; KEVIN M. JORDAN, Reg. No. 40,277; STEPHEN C. KAUFMAN, Reg. No. 29,551; JAY P. SBROLLINI, Reg. No. 36,266; DAVID M. SHOFI, Reg. No. 39,835; ROBERT M. TREPP, Reg. No. 25,933; LOUIS P. HERZBERG, Reg. No. 41,500; DANIEL P. MORRIS, Reg. No. 32,053; DOUGLAS W. CAMERON, Reg. No. 31,596; LOUIS J. PERCELLO, Reg. No. 33,206; and PAUL J. OTTERSTEDT, Reg. No. 37,411; each of them of INTERNATIONAL BUSINESS MACHINES CORPORATION, Thomas J. Watson Research Center, P.O. Box 218, Yorktown Heights, New York 10598; to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected therewith and with any divisional, continuation, continuation-in-part, reissue or re-examination application, with full power of appointment and with full power to substitute an associate attorney or agent, and to receive all patents which may issue thereon, and request that all correspondence be addressed to:

Frank Chau, Esq. F. CHAU & ASSOCIATES, LLP 1900 Hempstead Turnpike, Suite 501 East Meadow, New York 11554

Tel.: 516-357-0091

statements and the like so made are punishable by fine or imprisonment, or both, under §1001 of Title 18 U.S. Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon. FULL NAME OF FIRST OR SOLE INVENTOR: Nicholas R. Dono Citizenship U.S.A. Inventor's signature: 17 Aspen Road Residence & Post Office Address: Hopewell Junction, NY 12533 FULL NAME OF SECOND JOINT INVENTOR: Bengt-Olaf Schneider Citizenship Germany Inventor's signature: _ 515 Croton Heights Road Residence & Post Office Address: Yorktown Heights, NY 10598 FUEL NAME OF THIRD JOINT INVENTOR: Citizenship Inventor's signature: Date: Residence & Post Office Address: FUEL NAME OF FOURTH JOINT INVENTOR: Citizenship _____ Date: _____ Inventor's signature: Residence & Post Office Address: Citizenship _____ FUEL NAME OF FIFTH JOINT INVENTOR: ______ Date: _____ Inventor's signature: Residence & Post Office Address: FULL NAME OF SIXTH JOINT INVENTOR: _____ Citizenship _____

THEREBY DECLARE that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false

Date: _____

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S):

Nicholas R. Dono, Bengt-Olaf Schneider

SERIAL NO.:

Unassigned

FILED:

Concurrently herewith

FOR:

METHOD FOR PROVIDING TEMPORARY ACCESS TO A COMMONLY ACCESSIBLE COMPUTER

PROCESSING SYSTEM

ASSOCIATE POWER OF ATTORNEY

Please recognize FRANK CHAU, Reg. No. 34,136; JAMES J. BITETTO, Reg. No. 40,513; FRANK V. DEROSA, Reg. No. 43,584; and GASPARE J. RANDAZZO, Reg. No. 41,528; each of them of F. CHAU & ASSOCIATES, LLP, 1900 Hempstead Turnpike, Suite 501, East Meadow, New York 11554 as associate attorneys in the above-mentioned application, with full power to prosecute said application, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

Telephone calls should be made to Frank Chau by dialing (516) 357-0091.

All written communications are to be sent to Frank Chau, Esq., F. Chau & Associates, LLP, 1900 Hempstead Turnpike, Suite 501, East Meadow, New York 11554.

International Business Machines Corporation T.J. Watson Research Center Route 134 and Kitchawan Road Yorktown Heights, New York 10598

Manny W. Schecter Registration No. 31,722 Douglas W. Cameron Registration No. 31,596 Attorney for Applicant(s)